Bibliography

Barão, M. I. and Tawn, J. A. (1999) Extremal analysis of short series with outliers: sea-levels and athletics records. *Appl. Statist.*, **48**, 469–487.

Barnett, V. (1976) The ordering of multivariate data (with discussion). *J. Roy. Statist. Soc. A*, **139**, 318–355.

Beirlant, J., Teugels, J. and Goegebeur, Y. (2003) *Statistics of Extremes: Theory and Applications.* London: Wiley. In preparation.

Berman, S. M. (1964) Limit theorems for the maximum term in stationary sequences. *Ann. Math. Statist.*, **35**, 502–516.

Capéraà, P., Fougères, A.-L. and Genest, C. (1997) A nonparametric estimation procedure for bivariate extreme value copulas. *Biometrika*, **84**, 567–577.

Coles, S. G. (1991) *Statistical Methodology for the Multivariate Analysis of Environmental Extremes.* PhD thesis, Sheffield University.

Coles, S. G. (2001) *An Introduction to Statistical Modeling of Extreme Values.* London: Springer.

Coles, S. G. and Tawn, J. A. (1991) Modelling extreme multivariate events. *J. Roy. Statist. Soc. B*, **53**, 377–392.

Coles, S. G. and Tawn, J. A. (1994) Statistical methods for multivariate extremes: an application to structural design (with discussion). *Appl. Statist.*, **43**, 1–48.

David, H. A. (1981) *Order Statistics*. Second edition. London: Wiley.

Deheuvels, P. (1983) Point processes and multivariate extreme values. *J. Mult. Anal.*, **13**, 257–273.

Deheuvels, P. (1985) Point processes and multivariate extreme values II. In *Multivariate Analysis VI* (P. R. Krishnaiah, Ed.), 145–164. Amsterdam: North Holland.

Deheuvels, P. (1991) On the limiting behaviour of the Pickands estimator for bivariate extreme-value distributions. *Statist. Probab. Letters*, **12**, 429–439.

Embrechts, P., Klüppelberg, C. and Mikosch, T. (1997) *Modelling Extremal Events*. Springer.

Ferro, C. A. T. and Segers, J. (2003a) Inference for clusters of extreme values. *J. Roy. Statist. Soc. B*, **65**, 545–556.

Ferro, C. A. T. and Segers, J. (2003b) Extreme value methods in time series analysis. To appear in *Statistics of Extremes: Theory and Applications* (J. Beirlant, J. Teugels and Y. Goegebeur). London: Wiley.

Fisher, R. A. and Tippett, L. H. C. (1928) Limiting forms of the frequency distribution of the largest or smallest member of a sample. *Proc. Cambridge Phil. Soc.*, **24**, 180–190.

Frigessi A., Haug, O. and Rue, H. (2002) A dynamic mixture model for unsupervised tail estimation without threshold selection. *Extremes*, **5**, 219–235.

Galambos, J. (1975) Order statistics of samples from multivariate distributions. *J. Amer. Statist. Assoc.*, **70**, 674–680.

Ghoudi, K., Khoudraji, A. and Rivest, L.-P. (1998) Propriétés statistiques des copules de valeurs extrêmes bidimensionnelles. *Canad. J. Statist.*, **26**, 187–197.

Guillou, A. and Hall, P. (2001) A diagnostic for selecting the threshold in extreme value analysis. *J. Roy. Statist. Soc. B*, **63**, 293–305.

Gumbel, E. J. (1960) Bivariate exponential distributions. *J. Amer. Statist. Assoc.*, **55**, 698–707.

de Haan, L. (1985) Extremes in higher dimensions: the model and some statistics. *Proc. 45th Session, Int. Stat. Inst.*, paper 26.3. Amsterdam: International Statistical Institute.

de Haan, L. and Resnick, S. I. (1977) Limit theory for multivariate sample extremes. *Z. Wahr. Ver. Geb.*, **40**, 317–337.

de Haan, L. and de Ronde, J. (1998) Sea and wind: multivariate extremes at work. *Extremes*, **1**, 7–45.

de Haan, L. and Sinha, A. K. (1999) Estimating the probability of a rare event. *Ann. Statist.*, **27**, 732–759.

Hall, P. and Presnell, B. (1999) Density estimation under constraints. *J. Comp. Graph. Stat.*, **8**, 259–277.

Hall, P. and Tajvidi, N. (2000) Distribution and dependence-function estimation for bivariate extreme-value distributions. *Bernoulli*, **6**, 835–844.

Hawkes, P. J., Gouldby, B., Yarde, A., Tawn, J. A. and Bortot, P. (1998) The joint probability of waves and water levels: JOIN-SEA. HR Wallingford, report SR 537.

Heffernan, J. and Tawn, J. A. (2003) A conditional approach for multivariate extreme values. To appear in *J. Roy. Statist. Soc. B*.

Hsing, T. (1987) On the characterization of certain point processes. *Stochastic Process. App.*, **26**, 297–316.

Hsing, T. (1989) Extreme value theory for multivariate stationary sequences. *J. Mult. Anal.*, **29**, 274–291.

Hsing, T. (1991) On tail index estimation using dependent data. *Ann. Statist.*, **19**, 1547–1569.

Hsing, T., Hüsler, J. and Leadbetter, M. R. (1988) On the exceedance point process for a stationary sequence. *Probab. Theory Related Fields*, **78**, 97–112.

Hüsler, J. and Reiss, R.-D. (1989) Maxima of normal random vectors: between independence and complete dependence. *Statist. Probab. Letters*, **7**, 283–286.

Joe, H. (1989) Families of min–stable multivariate exponential and multivariate extreme value distributions. *Statist. Probab. Letters*, **9**, 75–82.

Joe, H., Smith, R. L. and Weissman, I. (1992) Bivariate threshold methods for extremes. *J. Roy. Statist. Soc. B*, **54**, 171–183.

Kotz, S. and Nadarajah, S. (2000) *Extreme Value Distributions: Theory and Applications*. Imperial College Press.

Leadbetter, M. R. (1974) On extreme values in stationary sequences. *Z. Wahr. Ver. Geb.*, **28**, 289–303.

Leadbetter, M. R. (1983) Extremes and local dependence in stationary sequences. *Z. Wahr. Ver. Geb.*, **65**, 291–306.

Leadbetter, M. R. (1991) On a basis for 'Peaks over Threshold' modeling. *Statist. Probab. Letters*, **12**, 357–362.

Leadbetter, M. R., Lindgren, G. and Rootzén, H. (1983) *Extremes and Related Properties of Random Sequences and Processes*. New York: Springer.

Ledford, A. W. and Tawn, J. A. (2003) Diagnostics for dependence within time series extremes. *J. Roy. Statist. Soc. B*, **65**, 521–543.

Mori, T. (1977) Limit distributions of two-dimensional point processes generated by strong-mixing sequences. *Yokohama Math. J.*, **25**, 155–168.

Nadarajah, S. (1999) Simulation of multivariate extreme values. *J. Statist. Comput. Simul.*, **62**, 395–410.

Nadarajah, S. (2000) Approximations for bivariate extreme values. *Extremes*, **3**, 87–98.

Nadarajah, S. (2001) Multivariate declustering techniques. *Environmetrics*, **12**, 357–365.

Nandagopalan, S. (1994) On the multivariate extremal index. *J. Res. Natl. Inst. Stand. Technol.*, **99**, 543–550.

Newell, G. F. (1964) Asymptotic extremes for m-dependent random variables. *Ann. Math. Statist.*, **35**, 1322–1325.

O'Brien, G. L. (1987) Extreme values for stationary and Markov sequences. *Ann. Probab.*, **15**, 281–291.

Parzen, E. (1962) On estimation of a probability density function and mode. *Ann. Math. Statist.*, **33**, 1065–1076.

Perfekt, R. (1997) Extreme value theory for a class of Markov chains with values in $\mathbb{R}^d$. *Adv. Appl. Probab.*, **29**, 138–164.

Pickands, J. III (1971) The two-dimensional Poisson process and extremal processes. *J. Appl. Probab.*, **8**, 745–756.

Pickands, J. III (1975) Statistical inference using extreme order statistics. *Ann. Statist.*, **3**, 119–131.

Pickands, J. III (1981) Multivariate extreme value distributions. *Proc. 43rd Session, Int. Stat. Inst.*, 859–878.

Resnick, S. I. (1987) *Extreme Values, Regular Variation, and Point Processes.* New York: Springer–Verlag.

Sibuya, M. (1960) Bivariate extreme statistics. *Ann. Inst. Statist. Math.*, **11**, 195–210.

Smith, R. L. (1985) Statistics of extreme values. *Proc. 45th Session, Int. Stat. Inst.*, paper 26.1. Amsterdam: International Statistical Institute.

Smith, R. L. (1992) The extremal index for a Markov chain. *J. Appl. Probab.*, **29**, 37–45.

Smith, R. L., Tawn, J. A. and Coles, S. G. (1997) Markov chain models for threshold exceedances. *Biometrika*, **84**, 249–268.

Smith, R. L., Tawn, J. A. and Yuen, H. K. (1990) Statistics of multivariate extremes. *Int. Statist. Rev.*, **58**, 47–58.

Smith, R. L. and Weissman, I. (1994) Estimating the extremal index. *J. Roy. Statist. Soc. B*, **56**, 515–528.

Smith, R. L. and Weissman, I. (1996) Characterization and estimation of the multivariate extremal index. Unpublished.

Tawn, J. A. (1988) Bivariate extreme value theory: models and estimation. *Biometrika*, **75**, 397–415.

Wand, M. P. and Jones, M. C. (1995) *Kernel Smoothing.* New York: Chapman & Hall.

Weissman, I. and Novak, S. Y. (1998) On blocks and runs estimators of the extremal index. *J. Statist. Plan. Inf.*, **66**, 281–288.